

## Technical Data Sheet M-Series

### Basic Info

KSF M 76x2100-M16	KSF M 76x1600-M16	KSF M 76x1300-M16
Nominal length (mm)		
2100	1600	1300
Tube diameter (mm)		
76,10	76,10	76,10
Weight (kg)		
16	12	10
Item number		
24215	24214	24213

### Construction

- Flange: Sheet metal S355
- Coating: Hot-dip galvanized according to DIN EN ISO 1461
- Continuous welded helix

### Applications



KSF M  
76x1600-M16



## Technical Data

	KSF M 76x2100-M16	KSF M 76x1600-M16	KSF M 76x1300-M16
<b>a</b>	<b>Length (mm) (<math>\pm 25</math> mm)</b>		
	2078	1578	1278
<b>b</b>	<b>Shaft outer diameter (mm)</b>		
	76,10	76,10	76,10
<b>c</b>	<b>Inner diameter (mm)</b>		
	68,90	68,90	68,90
<b>d</b>	<b>Thread (mm)</b>		
	M16	M16	M16
<b>e</b>	<b>Pitch circle diameter (mm)</b>		
	150	150	150
<b>f</b>	<b>Pitch circle holes (mm)</b>		
	6 x $\emptyset$ 14	6 x $\emptyset$ 14	6 x $\emptyset$ 14
<b>g</b>	<b>Flange wrench size (mm)</b>		
	166	166	166
<b>h</b>	<b>Flange outer diameter (mm)</b>		
	182	182	182
<b>i</b>	<b>Flange thickness (mm)</b>		
	10	10	10
<b>j</b>	<b>Thread length (mm)</b>		
	1230	930	830

