

## Technical Data Sheet M Series


### Basic Info

KSF M 76x1300-M12	KSF M 76x1000-M12	KSF M 76x800-M12
Nominal length (mm)		
1300	1000	800
Tube diameter (mm)		
76,10	76,10	76,10
Weight (kg)		
7	5	4
Item number		
24212	24211	24210

### Construction

- Flange: Sheet metal S355
- Coating: Hot-dip galvanized according to DIN EN ISO 1461
- Continuous welded helix

### Applications



KSF M  
76x1000-M12



## Technical Data

	KSF M 76x1300-M12	KSF M 76x1000-M12	KSF M 76x800-M12
<b>a</b>	<b>Length (mm) (<math>\pm 25</math> mm)</b>		
	1275	1045	815
<b>b</b>	<b>Shaft outer diameter (mm)</b>		
	76,10	76,10	76,10
<b>c</b>	<b>Inner diameter (mm)</b>		
	70,90	70,90	70,90
<b>d</b>	<b>Thread</b>		
	M12	M12	M12
<b>e</b>	<b>Pitch circle diameter (mm)</b>		
	116	116	116
<b>f</b>	<b>Pitch circle holes (mm)</b>		
	6 x $\emptyset$ 11	6 x $\emptyset$ 11	6 x $\emptyset$ 11
<b>g</b>	<b>Flange wrench size (mm)</b>		
	128	128	128
<b>h</b>	<b>Flange outer diameter (mm)</b>		
	136	136	136
<b>i</b>	<b>Flange thickness (mm)</b>		
	5	5	5
<b>j</b>	<b>Thread length (mm)</b>		
	780	530	355

